

A close-up, grayscale photograph of a horse's eye. The eye is the central focus, with its iris and pupil visible. The surrounding fur is detailed and textured. Overlaid on the eye is a digital graphic consisting of the word "DIZAL" in a bold, sans-serif font. The letter "I" is white, "Z" is orange with a wood-grain texture, "A" is white, and "L" is white with a registered trademark symbol (®) to its upper right. The background image is semi-transparent, allowing the text to stand out.

D I Z A L[®]


DIGITALLY PRINTED ALUMINUM SIDING

DISCOVER DIZAL

Manufacturing company specialized in design, production and marketing of premium aluminum siding. Our technology prints authentic scanned textures of various materials from a high definition digital inkjet printing process.



CUMARU | VARIEGATED LIGHT
PROFILE V - 6" PLANK

A large industrial machine, likely a digital printing press, is shown in a factory setting. The machine's conveyor belt is carrying a stack of printed wood planks. The planks are arranged in a fan shape, with the top edge of the stack curving outwards. The planks have a rich, dark brown wood grain pattern, which is a digital print of a natural wood texture. The machine itself is made of metal and has various components, including rollers and a control panel. The background shows a typical industrial environment with overhead lights and other machinery.

NATURE BECOMES DIGITAL

STATE OF THE ART EQUIPMENT, PROCESSES AND TECHNOLOGIES

High-definition inkjet printing reproducing digital photographs of original materials.

JATOBA | VARIEGATED DARK
PROFILE V - 4" PLANK

PROCESS | BUILT TO LAST

World class processes: from design to manufacturing.

1. ALUMINUM

Recognized as the industry's first choice for its exceptional durability.
(Non-combustible, non-corrosive)

2. PRIMER COAT

A primer coat is applied to ensure perfect adhesion between aluminum and ink.

3. HD PRINTING

High-definition digital inkjet printing is used to create photographic reproductions of a wide range of textures and outstanding color variations.

4. UV BARRIER

A protective clear coat is applied to provide long-term protection against UV rays and fading.



① HEAVY-DUTY ALUMINUM PANEL
.062" (1.6 mm)



UNRIVALED REALISM




CUMARU | VARIEGATED DARK
PROFILE V - 6" PLANK



CUMARU | VARIEGATED DARK
PROFILE V - 6" PLANK

A WORLD OF TEXTURES



AND COLORS



ALL WOOD TEXTURES OR OTHER MATERIALS ARE DENOMINATED UNDER THEIR RESPECTIVE NAMES AND WERE DIGITALLY SCANNED BY DIZAL FROM ORIGINAL MATERIALS.

SEE OUR WEBSITE WWW.DIZAL.COM FOR MORE TEXTURES AND COLORS.

DUE TO PRINTING PROCESS, COLORS SHOWN ON BROCHURES MAY DIFFER FROM ACTUAL COLORS.

A WORLD OF TEXTURES



DUE TO PRINTING PROCESS, COLORS SHOWN ON BROCHURES MAY DIFFER FROM ACTUAL COLORS. BE ON THE LOOKOUT FOR OTHER TEXTURES AND COLORS. VISIT OUR WEBSITE AT WWW.DIZAL.COM

AND COLORS



CUSTOMIZED TEXTURES AND COLORS ARE CONDITIONALLY AVAILABLE.

HICKORY | NATURAL



PROFILE V - 6" PLANK

CUMARU | VARIEGATED LIGHT




PROFILE V - 6" PLANK

WHITE ASH | MEDIUM BROWN



PROFILE V - 6" PLANK

WHITE ASH | CHARCOAL



PROFILE F - 8" PLANK

WHITE OAK | MAPLE



PROFILE V - 6" PLANK

CHERRY WOOD | CHOCOLAT



PROFILE V - 6" PLANK

CHERRY WOOD | DARK GREY

JATOBA | BLOND



PROFILE V - 6" PLANK



PROFILE F - 6" PLANK

PRODUCTS | PLANKS AND ACCESSORIES

DIZAL PRODUCT ADVANTAGES

- Fast and easy installation
- All sizes of profiles interlock with each other
- Oblong holes for easy screw insertion
- Easy to handle and simple to cut
- Plank profiles: 3, 4, 6, 8 inches
- Standard lengths: 16 feet for all profiles
- Vertical and horizontal plank installation
- Maintenance free
- Finishing accessories with matching colors (starter strip, outside corner, soffit and trims)

ACCESSORIES



4", 6" VENTILATED PLANK



STARTER STRIP




OUTSIDE CORNER*



J-TRIM 1"*



J-TRIM 1 3/4"*



H-TRIM*

* TWO-PIECES ACCESSORIES (SNAP-IN)

PROFILE F




PROFILE V



PROFILE C



FLAT PLANK
4", 6" or 8"



V GROOVE PLANK
3", 4" or 6"



CHANNEL PLANK
6"

WARRANTY AND CERTIFICATIONS

WARRANTY

DIZAL manufactures siding products and accessories designed with high quality materials and certifies efficiency and exceptional durability of its products.

Our Limited Lifetime Warranty covers defects in materials or manufacturing that may cause warping, rust and corrosion, checking, cracking and excessive discoloration if and only if our products are installed according to the instructions and recommendations of the company.*

* PLEASE REFER TO OUR DETAILED WARRANTY.

TESTS AND CERTIFICATIONS

CAN/ULC-S102 - Fire Resistance

CAN/ULC-S114 - Fire Resistance

ASTM E84 - Fire Resistance

NFPA 285 - Fire Resistance

ASTM D3359 - Adhesion Testing

ASTM D4060 (CS-17) - Abrasion Resistance

ISO 7895 / ASTM E330 - Wind Load

ISO 7895 - Impact Resistance

ASTM D6578 - Graffiti Resistance

ASTM G155 - UV Resistance

Florida Building Code (FBC) compliance

LEED V.4

* SEE WEBSITE FOR FULL DETAILS



WHITE ASH | MEDIUM BROWN
PROFILE V - 6" PLANK

COMPANY CULTURE

DIZAL is a new company set up by a family of entrepreneurs with more than 40 years of experience successfully developing various manufacturing companies in the building industry.

MISSION


To offer our customers high-quality products with exclusive and innovative finishes using cutting-edge technological processes. To provide high value-added solutions so our products are the number-one choice in our market.

VISION

To be recognized by customers as the leading innovative company offering the greatest choice of premium-quality products in our industry.

EXPERTISE

- Shareholders' experience in manufacturing industries
- Shareholders' knowledge of the market and the industry
- Creation of exclusive and innovative products using the latest technologies
- Manufacturing processes
- Manufacture of quality products



IMPOSSIBLE IS NOT A
DECLARATION,
IT'S A DARE.

– MUHAMMAD ALI

DIZAL[®]

DIGITALLY PRINTED ALUMINUM SIDING

T. 418 915-9400 | www.dizal.com

© 2018 DIZAL - All rights reserved