



KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.





 $\langle 2 \rangle$ DIZAL TRIM PIECE

 $\overline{\langle 4 \rangle}$ WEATHER BARRIER - BY OTHERS

 $\overline{\overline{3}}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS


DIZAL

PANEL END / J-TRIM PLAN DETAIL HORIZONTAL APPLICATION

Date 04.16.2020

5H

NOTE
KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.





(2)DIZAL TRIM PIECE


 $\overline{\langle 4 \rangle}$ WEATHER BARRIER - BY OTHERS

 $\overline{3}\rangle$ STAINLESS STEEL FASTENER $\langle \overline{5}\rangle$ BY OTHERS

PANEL END / J-TRIM PLAN DETAIL **VERTICAL APPLICATION**

04.16.2020

NOTE
KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.





(2)DIZAL TRIM PIECE

 $\overline{\langle 4 \rangle}$ WEATHER BARRIER - BY OTHERS


 $\overline{3}\rangle$ STAINLESS STEEL FASTENER $\langle 5 \rangle$ BY OTHERS

 $DIZ\Lambda$

6H

04.16.2020

KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.





2 DIZAL TRIM PIECE

4 WEATHER BARRIER - BY OTHERS


 $\overline{3}
angle$ STAINLESS STEEL FASTENER $\langle \overline{5}
angle$ BY OTHERS

DIZAL

Date 04.16.2020

PANEL JOINT / H-TRIM - PLAN DETAIL VERTICAL APPLICATION

KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.



(1) DIZAL PANEL

2 DIZAL TRIM PIECE

4 WEATHER BARRIER - BY OTHERS

 $\overline{3}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS


DIZAL

Date 04.16.2020

Scale 6" = 1'-0"

7H

KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.





 $\langle 2 \rangle$ DIZAL TRIM PIECE


 $\overline{4}$ WEATHER BARRIER - BY OTHERS

 $\overline{\overline{3}}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS

DIZAL

Scale

KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.





2 DIZAL TRIM PIECE

4 WEATHER BARRIER - BY OTHERS


 $\overline{3}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS


 $DIZ\Lambda L$

Date 04.16.2020

ALTERNATE INSIDE CORNER DETAIL - PLAN VIEW HORIZONTAL APPLICATION

KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.






 $\overline{2}$ DIZAL TRIM PIECE

 $\overline{\langle 4 \rangle}$ WEATHER BARRIER - BY OTHERS

 $\overline{\overline{3}}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS



KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.



- 1 DIZAL PANEL
- 2 DIZAL TRIM PIECE
- $\overline{\langle 4 \rangle}$ WEATHER BARRIER BY OTHERS
- $\overline{\overline{3}}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS


DIZAL


Date 04.16.2020

Gcale 6" = 1'-0"

9

KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.





 $\langle 2 \rangle$ DIZAL TRIM PIECE


 $\overline{\langle 4 \rangle}$ WEATHER BARRIER - BY OTHERS


 $\overline{3}$ STAINLESS STEEL FASTENER $\overline{5}$ BY OTHERS

DIZAL

TYPICAL HEAD - SECTION VIEW HORIZONTAL APPLICATION

KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.





 $\langle 2 \rangle$ DIZAL TRIM PIECE

 $\overline{\langle 4 \rangle}$ WEATHER BARRIER - BY OTHERS


 $\overline{\overline{3}}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS

 $DIZ\Lambda L^{\circ}$

10V

ote 04.16.2020

KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.






 $\langle \overline{2} \rangle$ DIZAL TRIM PIECE


 $\overline{\langle 4 \rangle}$ WEATHER BARRIER - BY OTHERS

 $\overline{\overline{3}}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS


DIZAL

SOFFIT CONDITION SECTION DETAIL PARALLEL APPLICATION





KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.





 $\langle 2 \rangle$ DIZAL TRIM PIECE

 $\overline{\langle 4 \rangle}$ WEATHER BARRIER - BY OTHERS


 $\overline{\overline{3}}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS


 $DIZ\Lambda L$


Date 04.16.2020

14


Scale 6" = 1'-0"







KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.




- $\langle 1 \rangle$ DIZAL PANEL
- 2 DIZAL TRIM PIECE
- $\overline{\langle 4 \rangle}$ WEATHER BARRIER BY OTHERS
- $\overline{\overline{3}}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS

DIZAL

ote 04.16.2020

16H

KEEP 3/16" BETWEEN THE TRIM AND THE PLANK TO ALLOW FOR EXPANSION AND CONTRACTION.



- 1 DIZAL PANEL
- $\langle 2 \rangle$ DIZAL TRIM PIECE
- $\overline{\langle 4 \rangle}$ WEATHER BARRIER BY OTHERS
- $\overline{\overline{3}}$ STAINLESS STEEL FASTENER $\langle \overline{5} \rangle$ BY OTHERS

 $DIZ\Lambda L$

SILL SECTION DETAIL VERTICAL APPLICATION