


FICHE TECHNIQUE – INSTALLATION

Accessoires lattes d'aluminium
Série MAA

Attache SN – Lattes 1 po, 1 ½ po et 2 po

INSTALLATION : VERTICALE et PLAFOND SEULEMENT



Spécifications générales

MODÈLE

Attache SN - Lattes 1 po, 1 ½ po
et 2 po

FINI

RAL 7022 Mat

MATÉRIEL

Aluminium 6063-T6

POIDS

0,12 lb | 0,057 kg

RECOMMANDATION

La distance de montage recommandée pour les vis d'ancrage (par d'autres) et/ou les supports Maibec aluminium est de 8'-0" (2438 mm) c/c*.

* Calculé pour des lattes de 1" (25 mm), 1,5" (38 mm) et 2" (50 mm) d'épaisseur de 2" (50 mm) à 8" (203 mm) de largeur. Pour d'autres dimensions, veuillez contacter le support à la clientèle.

REMARQUE

La première vis/support doit être installé à un maximum de 12" (305 mm) de l'extrémité de la latte.




IMPORTANT

Vérifiez toujours les réglementations locales en matière de construction avant d'installer les lattes Maibec aluminium.

TECHNICAL DATA SHEET – INSTALLATION


Aluminum batten accessories
MAA Serie

CC Bracket – 1 in Batten



Anchoring hardware
(not included)

**ANCHORING
SIDE**



General Specifications

MODEL

CC Bracket - 1 in Batten

MATERIAL

6063-T6 aluminum

FINISH

RAL 7022 Matte

WEIGHT

0.11 lb | 0.049 kg

RECOMMENDATION

Recommended Span distance mounting for anchor screws (by others) and/or Maibec aluminum Brackets is 8'-0" (2438 mm) c/c*.

* Calculated for 1" (25 mm), 1.5" (38 mm) and 2" (50 mm) battens thickness from 2" (50 mm) to 8" (203 mm) width. For other dimensions, please contact customer services.

NOTE

The first screw/bracket must be installed a maximum of 12" (305 mm) from each batten end.





IMPORTANT

Always check local building regulations before installing Maibec aluminum battens.

TECHNICAL DATA SHEET – INSTALLATION

Aluminum batten accessories
MAA Serie

CC Bracket – 1.5 in Batten



General Specifications

MODEL

CC Bracket - 1.5 in Batten

MATERIAL

6063-T6 aluminum

FINISH

RAL 7022 Matte

WEIGHT

0.12 lb | 0.055 kg

RECOMMENDATION

Recommended Span distance mounting for anchor screws (by others) and/or Maibec aluminum Brackets is 8'-0" (2438 mm) c/c*.

* Calculated for 1" (25 mm), 1.5" (38 mm) and 2" (50 mm) battens thickness from 2" (50 mm) to 8" (203 mm) width. For other dimensions, please contact customer services.

NOTE

The first screw/bracket must be installed a maximum of 12" (305 mm) from each batten end.





IMPORTANT

Always check local building regulations before installing Maibec aluminum battens.

TECHNICAL DATA SHEET – INSTALLATION

Aluminum batten accessories
MAA Serie

CC Bracket – 2 in Batten



General Specifications

MODEL

CC Bracket - 2 in Batten

MATERIAL

6063-T6 aluminum

FINISH

RAL 7022 Matte

WEIGHT

0.17 lb | 0.077 kg

RECOMMENDATION

Recommended Span distance mounting for anchor screws (by others) and/or Maibec aluminum Brackets is 8'-0" (2438 mm) c/c*.

* Calculated for 1" (25 mm), 1.5" (38 mm) and 2" (50 mm) battens thickness from 2" (50 mm) to 8" (203 mm) width. For other dimensions, please contact customer services.

NOTE

The first screw/bracket must be installed a maximum of 12" (305 mm) from each batten end.


IMPORTANT

Always check local building regulations before installing Maibec aluminum battens.

TECHNICAL DATA SHEET – INSTALLATION

Aluminum batten accessories
MAA Serie

BC Bracket – 1 in Batten



General Specifications

MODEL

BC Bracket - 1 in Batten

MATERIAL

A380 aluminum

FINISH

RAL 7022 Matte

WEIGHT

Kit: 0.10 lb | 0.046 kg

NOTE

- 1) Make sure to remove end cap (if applicable) prior to install brackets to each batten end.
- 2) Fasten the bracket to the batten before installing on wall/ground/ceiling.

IMPORTANT


Always check local building regulations before installing Maibec aluminum battens.

* Make sure to use proper hole when fastening BC brackets to the batten. There should be no space between the two parts.

TECHNICAL DATA SHEET – INSTALLATION

Aluminum batten accessories
MAA Serie

BC Bracket – 1.5 in Batten



General Specifications

MODEL

BC Bracket - 1.5 in Batten

MATERIAL

A380 aluminum

FINISH

RAL 7022 Matte

WEIGHT

Kit: 0.12 lb | 0.056 kg

NOTE

- 1) Make sure to remove end cap (if applicable) prior to install brackets to each batten end.
- 2) Fasten the bracket to the batten before installing on wall/ground/ceiling.


IMPORTANT

Always check local building regulations before installing Maibec aluminum battens.

TECHNICAL DATA SHEET – INSTALLATION

Aluminum batten accessories
MAA Serie

BC Bracket – 2 in Batten



General Specifications

MODEL

BC Bracket - 2 in Batten

MATERIAL

A380 aluminum

FINISH

RAL 7022 Matte

WEIGHT

Kit: 0.14lb | 0.066kg

NOTE

- 1) Make sure to remove end cap (if applicable) prior to install brackets to each batten end.
- 2) Fasten the bracket to the batten before installing on wall/ground/ceiling.

IMPORTANT

Always check local building regulations before installing Maibec aluminum battens.

* Make sure to use proper hole when fastening BC brackets to the batten. There should be no space between the two parts.